

FIG.1

0975568-020504




FIG. 2

1




FIG.3

CPU 11




FIG. 4

09775568-020501
T05020-895760




FIG. 5




FIG.6

ONE-TOUCH/ABBREVIATED
NUMBER REGISTRATION TABLE

| No. | 701 DESTINATION MAIL ADDRESS | 702 TELEPHONE NUMBER | 703 FAX TRANSMISSION FLAG | 704 TIMER INITIAL VALUE(MIN.) | 705 DELIVERY CONFIRMATION FLAG |
|-----|------------------------------------|--|------------------------------------|-------------------------------------|---|
| 001 | <u>Test@mgcs.co.jp</u> | 54347073 | EXECUTE | 10 | EXISTENCE |
| 002 | <u>Test2@mgcs.co.jp</u> | (NON-REGISTRATION IS EXECUTED WHEN NO G3 TRANSMISSION IS PERFORMED) | NON-EXECUTE | 5 | ABSENCE |
| | | | | | |
| 999 | <u>Test99@mgcs.com</u> | 00112345678 | EXECUTE | 60 | EXISTENCE |

FIG.7

2020" 8955/260

TRANSMISSION JOB TABLE

| 801 | 802 | 803 | 804 | 805 | 806 | 807 |
|------------------|-----------------------------|---------------------|----------------------|---|-----------------------------------|-----------|
| MANAGE NUMBER | DESTINATION MAIL ADDRESS | TELEPHONE NUMBER | TIMER VALUE(MIN.) | TRANSMISSION MAIL MESSAGE ID | STATUS | FILE NAME |
| 001 | <u>Test@mgcs.co.jp</u> | 54347073 | 10 | 199911300606.A002 <u>@mgcs.co.jp</u> | WAIT FOR DELIVERY CONFIRMATION | 0123 |
| 002 | <u>Test2@mgcs.co.jp</u> | | 5 | 199911300607.B002 <u>@mgcs.co.jp</u> | WAIT FOR TIMEOUT | 0124 |

FIG.8




FIG. 9

0975568-020501




FIG. 10

Received: by bulls.mei.co.jp (8.9.3/3.7W) with internal id QAA04949;
Tue, 8 Feb 2000 16:18:49 +0900 (JST)
Date: Tue, 8 Feb 2000 16:18:49 +0900 (JST)
From: Mail Delivery Subsystem <MAILER-DAEMON@bulls.mei.co.jp>
Subject: Returned mail: Host unknown (Name server: mgcs.mei.jp.: host not found)
Message-Id: <200002080718.QAA04949@bulls.mei.co.jp>
To: <wakaba@rdmg.mgcs.mei.co.jp>
MIME-Version: 1.0
Auto-Submitted: auto-generated (failure)
Content-Type: multipart/report; report-type=delivery-status;
boundary="QAA04949.949994329/bulls.mei.co.jp"

The original message was received at Tue, 8 Feb 2000 16:18:45 +0900 (JST)
from dodgers.mei.co.jp [157.8.1.150]

----- The following addresses had permanent fatal errors -----
<wa1111@mgcs.mei.jp>

----- Transcript of session follows -----
550 <wa1111@mgcs.mei.jp>... Host unknown (Name server: mgcs.mei.jp.: host not found)

Content-Type: message/delivery-status

Reporting-MTA: dns; bulls.mei.co.jp
Received-From-MTA: DNS; dodgers.mei.co.jp
Arrival-Date: Tue, 8 Feb 2000 16:18:45 +0900 (JST)


Final-Recipient: RFC822; wa1111@mgcs.mei.jp
Action: failed
Status: 5.1.2
Remote-MTA: DNS; mgcs.mei.jp
Last-Attempt-Date: Tue, 8 Feb 2000 16:18:48 +0900 (JST)

Received: from nwpc08.mei.jp
by server.mei.jp (8.9.3/3.7W-RDMG) with SMTP id QAA03777
for <wakaba@mei.jp>; Tue, 8 Feb 2000 16:15:29 +0900 (JST)
Message-Id: 200002080716.AA04530@ifax.co.jp ←--Message ID
From: Wakabayashi <wakaba@mei.jp>
Date: Tue, 08 Feb 2000 16:16:05 +0900
To: wakaba@mei.jp
MIME-Version: 1.0
X-Mailer: InternetFAX
Content-Type: text/plain; charset=iso-2022-jp

Thank you for your assistance.

FIG. 11

IN CASE OF TIMEOUT
(CASE WHERE NEITHER ERROR MAIL NOR DSN IS RECEIVED)



CASE OF FAX TRANSMISSION

FIG.12A

CASE OF NO FAX TRANSMISSION

FIG.12B

IN CASE WHERE TRANSMISSION
CONFIRMATION MAIL IS RECEIVED





FIG.13A

FIG.13B

IN CASE OF ERROR



CASE OF FAX TRANSMISSION

FIG.14A

CASE OF NO FAX TRANSMISSION

FIG.14B